



Glowing products for science

Donkey Anti-Rabbit IgG (H+L), Highly Cross-Adsorbed, CF® Dye Conjugates, Single Label for STORM

Highly cross-adsorbed donkey anti-rabbit IgG (H+L) secondary antibody with single CF® Dye label for STORM super-resolution microscopy.



Product Description

This is a highly cross-adsorbed donkey anti-rabbit IgG (H L) secondary antibody that has a low degree of labeling (DOL) with one of our bright and photostable CF® Dyes.

- CF® Dye single label secondary antibody ideal for STORM imaging
- Highly cross-adsorbed for specific staining with minimal background
- Available in 10 bright and photostable CF® Dyes

Secondary antibodies with a low DOL, or number of dye molecules per antibody molecule, have been reported to be optimal for STORM ([Bittel et al. \(2015\) Proc. SPIE 9331](#)). This product is prepared by single labeling (DOL=1) of highly cross-adsorbed goat anti-mouse IgG (H L) with a selection of compatible CF® Dyes for **(d)-STORM super-resolution microscopy**. To minimize cross-reactivity, the antibody has been adsorbed against bovine, chicken, goat, guinea pig, horse, human, mouse, rat, sheep, and Syrian hamster.

Learn more about [CF® Dyes for super-resolution microscopy](#).

Call us : [800-304-5357](tel:800-304-5357)

Product attributes

Clonality	Polyclonal
Host species	Donkey
Antibody reactivity (target)	Rabbit IgG
Species reactivity	Rabbit
Cross adsorption	Bovine, Chicken, Goat, Guinea pig, Horse, Human, Mouse, Rat, Sheep, Syrian hamster
Antibody/conjugate formulation	Liquid: PBS/50% glycerol/2 mg/mL BSA/0.05% azide
Antibody type	Secondary
Concentration	1 mg/mL
Secondary/tag antibody applications	IF (cells or tissue sections), STORM
Product origin	Product may contain either bovine serum albumin (BSA) from bovine serum (<i>Bos taurus</i>), or recombinant BSA produced in Chinese hamster ovary cells. Inquire for the specific lot.

Donkey Anti-Rabbit IgG (H+L), Highly Cross-Adsorbed, CF® Dye Conjugates, Single Label for STORM

Conjugation	Ex/Em	Size	Catalog No.	Dye Features
CF@498 0.5 mL (500 ug)	498/519 nm 20995-500uL	50 uL (50 ug)	20995-50uL	
CF@505 0.5 mL (500 ug)	505/519 nm 20879-500uL	50 uL (50 ug)	20879-50uL	
CF@535ST 0.5 mL (500 ug)	535/568 nm 20824-500uL	50 uL (50 ug)	20824-50uL	CF@535ST Features
CF@568 0.5 mL (500 ug)	562/583 nm 20803-500uL	50 uL (50 ug)	20803-50uL	CF@568 Features
CF@583R 0.5 mL (500 ug)	586/609 nm 20795-500uL	50 uL (50 ug)	20795-50uL	CF@583R Features
CF@597R 0.5 mL (500 ug)	597/619 nm 20799-500uL	50 uL (50 ug)	20799-50uL	CF@597R Features
CF@647 0.5 mL (500 ug)	650/665 nm 20811-500uL	50 uL (50 ug)	20811-50uL	CF@647 Features
CF@660C 0.5 mL (500 ug)	667/685 nm 20816-500uL	50 uL (50 ug)	20816-50uL	CF@660C Features
CF@680 0.5 mL (500 ug)	681/698 nm 20820-500uL	50 uL (50 ug)	20820-50uL	CF@680 Features
CF@750 0.5 mL (500 ug)	755/777 nm 20828-500uL	50 uL (50 ug)	20828-50uL	CF@750 Features

CF® Dye Secondary Antibodies, Single Label for STORM

Dye	Donkey Anti-Goat	Donkey Anti-Guinea Pig	Donkey Anti-Mouse	Donkey Anti-Rabbit	Goat Anti-Mouse	Goat Anti-Rabbit
Cross-adsorption	Ck, GP, Hs, Hu, Ms, Rb, Rt, SHm	Bv, Ck, Gt, Hs, Hu, Ms, Rb, Rt, Shp, SHm	Bv, Ck, Gt, GP, Hs, Hu, Rb, Rt, Shp, SHm	Bv, Ck, Gt, GP, Hs, Hu, Ms, Rt, Shp, SHm	Bv, Hs, Hu, Rb, Sw	Hu, Ms, Rt
CF@498	20992	20993	20994	20995	20996	20997
CF@505	20880	20881	20878	20879	20876	20877
CF@535ST			20823	20824	20821	20822
CF@568	20836	20838	20802	20803	20800	20801
CF@583R			20794	20795	20792	20793
CF@597R			20798	20799	20796	20797
CF@647	20829	20837	20810	20811	20808	20809
CF@660C			20815	20816	20812	20813
CF@680			20819	20820	20817	20818
CF@750			20827	20828	20825	20826

Bv: bovine; Ch: chicken; Gt: goat; GP: guinea pig; Hs: horse; Hu: human; Ms: mouse; Rb: rabbit; Sh: sheep; SHm: Syrian hamster; Sw: swine; Rt: rat
View our full selection of bright and specific [Secondary Antibodies](#), or search our catalog using our [Antibody Finder](#). Alternatively, you can view our [secondary antibody product listings](#) with catalog numbers.

CF® Dyes offer exceptional brightness and photostability. For more information see our [CF® Dye technology page](#).

Storage and Handling

Liquid format: Store at -20 °C, protected from light. Product is stable for at least 6 months from date of receipt when stored as recommended. Liquid format antibodies contain 50% glycerol and will not freeze at -20 °C.

Lyophilized format: Store at -20 °C, protected from light. Product is stable for at least 6 months from date of receipt when stored as recommended. Reconstitute antibodies in water using the indicated volumes below:

CF® Dye and biotin conjugates: add 0.5 mL dH₂O

HRP or DNP conjugates: add 1 mL dH₂O

Add the indicated volume of water directly to the vial containing the lyophilized antibody and mix gently to dissolve. Store reconstituted antibody at -20 °C and protect from light. Aliquot to avoid repeated freeze/thaw cycles. Alternatively, an equal volume of glycerol can be mixed with the reconstituted antibody so that it will remain liquid at -20 °C.

Optional: A preservative such as 0.05% sodium azide (final concentration) can be added to CF® Dye and biotin conjugates. Do not add sodium azide to HRP conjugates.

Note: Storage of the antibody for more than a day at final working dilution is not recommended.

CF is a registered trademark of Biotium, Inc.

References

Download a list of [CF® Dye references](#).

1. Proc. SPIE 9331, (2015), [DOI: 10.1117/12.2083209](#)

This datasheet was generated on May 8, 2026 at 01:13:08 PM. Visit product page to check for updated information before use.
Product link: <https://biotium-woo.supremeclients.com/product/donkey-anti-rabbit-igg-hl-highly-cross-adsorbed-cf-dye-storm/>

